



**Brand Name:** BONGYMOL-650

**Composition:** Paracetamol 650 mg Tablets

### General Information

BONGYMOL-650 is a high-quality analgesic and antipyretic product designed to relieve pain and reduce fever. It is manufactured with precision and care by Bongyn Bioscience Pvt Ltd, ensuring optimal safety and effectiveness for patients. Paracetamol is widely trusted for its ability to alleviate mild to moderate pain and effectively manage fever. BONGYMOL-650 is ideal for addressing various conditions such as headaches, toothaches, menstrual pain, muscle aches, and fever associated with colds or flu.

### Drug Class

- **Paracetamol:** Analgesic (pain reliever) and antipyretic (fever reducer).

### Indications and Uses

BONGYMOL-650 is indicated for the following:

- Relief from mild to moderate pain, including headaches, migraines, and backaches.
- Management of fever associated with common infections like colds and flu.
- Alleviation of pain from arthritis, muscle strains, and menstrual cramps.
- Reduction of post-surgical or injury-related pain and fever.

## Common and Less Common Side Effects

### Common Side Effects:

- Nausea
- Vomiting
- Stomach upset

### Less Common Side Effects:

- Allergic reactions (rash, itching, swelling)
- Dizziness
- Low blood pressure (in rare cases)

If you experience severe side effects or symptoms persist, consult your doctor immediately.

---

## Doses and Administration

- **Recommended Dose:** One tablet every 4 to 6 hours or as directed by your doctor.
  - Do not exceed 4 grams (4000 mg) of Paracetamol in 24 hours.
  - Swallow the tablet with water, preferably after a meal.
  - Do not chew, crush, or break the tablet.
- 

## Warnings and Precautions

- Use with caution in patients with liver or kidney problems.
  - Avoid alcohol while taking BONGYMOL-650 to reduce the risk of liver damage.
  - Keep out of reach of children.
  - Store in a cool, dry place, away from direct sunlight.
- 

## Drug Interactions

- Inform your doctor if you are taking blood thinners (e.g., warfarin) as Paracetamol may increase the risk of bleeding.
  - Avoid combining with other medications containing Paracetamol to prevent overdose.
  - Consult your doctor before use if you are taking medications for epilepsy or tuberculosis.
- 

## Contraindications

- Known hypersensitivity to Paracetamol or any other ingredients in the tablet.

- Severe liver impairment or active liver disease.
- 

## **Dos and Don'ts**

### **Dos:**

- Follow the prescribed dosage instructions carefully.
- Use BONGYMOL-650 to manage fever and pain as recommended by your doctor.
- Stay hydrated and maintain a healthy diet during illness.

### **Don'ts:**

- Do not exceed the recommended dosage.
  - Do not use expired tablets.
  - Avoid self-medicating or altering the dosage without consulting your doctor.
- 

## **Before Taking BONGYMOL-650**

- Discuss with your doctor if you are pregnant, planning to become pregnant, or breastfeeding.
  - Inform your doctor about all medications, supplements, or herbal products you are currently taking.
  - Disclose any history of liver or kidney disease, alcohol use, or allergies.
- 

## **Contact Information**

### **Bongyn Bioscience Pvt Ltd**

Address: 11, First Floor, Science City Road, Sola, Ahmedabad

Phone: +91 8160 351 340

Email: [info@bongyn.com](mailto:info@bongyn.com)

Website: [www.bongyn.com](http://www.bongyn.com)

---

**Disclaimer:** This is general information about BONGYMOL-650. Always use this product under the guidance of your doctor. Do not alter or discontinue the prescribed dosage without consulting your healthcare provider.

---

**All rights reserved to Bongyn Bioscience Pvt Ltd. 2025.**