

Rx Levetiracetam Tablets IP 500 mg

EPILEVET-500

Tablets

एपिलेवेट-500

Each Film coated tablet contains :
Levetiracetam IP 500 mg.
Excipients q.s.

Colour : Titanium Dioxide IP

Dosege : As directed by the Physician

Storage :

**Store Protected from light & moisture
at a temperature not exceeding 30°C**

Keep medicine out of reach of children

**CAUTION : Not to be sold by retail
without the prescription of a
Registered Medical Practitioner.**

Marketed By :

Mfg. Lic. No. : G/1324

BONGYN
Bioscience Pvt. Ltd.

Shed No 2-B, G.F, Block No 896, Near Shree Kanta Packaging
Opp Devam-4 Estate, Santej Super City Road Santej-382721
Taluka: Kalol District: Gandhinagar

Mfg. by : Shantam Pharmaceuticals Pvt. Ltd.
546/2, At. Rakanpur, Ta. Kalol, Dist. Gandhinagar - 382 721
www.shantampharmaceuticals.com

Product Information for EPILEVET-500

General Information:

EPILEVET-500 contains Levetiracetam Tablets IP 500 mg, a medication used to manage seizures in individuals with epilepsy. Levetiracetam is an antiepileptic drug that helps stabilize electrical activity in the brain, reducing the frequency and severity of seizures. It is a trusted and high-quality product from Bongyn Bioscience Pvt Ltd, manufactured with precision to ensure safety and effectiveness.

Drug Class:

Levetiracetam belongs to the class of antiepileptic drugs (AEDs) that modulate brain activity to control seizures.

Indications and Uses:

- Treatment of partial-onset seizures in adults and children.
- Management of generalized tonic-clonic seizures.
- Adjunctive therapy for epilepsy.

Common and Less Common Side Effects:

Common Side Effects:

- Drowsiness
- Fatigue
- Dizziness
- Irritability

Less Common Side Effects:

- Mood swings or behavioral changes
 - Loss of appetite
 - Skin rash
- If side effects persist or worsen, consult your doctor immediately.

Doses and Administration:

- Recommended Dose: As prescribed by your doctor, typically one tablet twice daily.
- Swallow the tablet whole with water, with or without food.
- Do not chew, crush, or break the tablet.

Warnings and Precautions:

- Do not stop taking this medication suddenly, as it may increase seizure risk.
- Consult your doctor before use if you have kidney problems or a history of depression.
- Monitor for mood or behavioral changes and inform your doctor if they occur.
- Keep out of reach of children.

Drug Interactions:

- Inform your doctor about all medications, supplements, or herbal products you are taking, as they may interact with Levetiracetam.
- Avoid alcohol consumption, as it may increase drowsiness or dizziness.

Contraindications:

- Known hypersensitivity to Levetiracetam or any other component of the tablet.
- Not recommended for patients with severe kidney impairment without a doctor's guidance.

Dos and Don'ts:**Dos:**

- Take the medication exactly as prescribed by your doctor.
- Maintain a seizure diary to track effectiveness.
- Inform your doctor about any underlying health conditions.

Don'ts:

- Do not stop medication abruptly without consulting your doctor.
- Do not exceed the prescribed dose.
- Avoid driving or operating machinery if you feel drowsy.

Before Taking EPILEVET-500:

- Discuss with your doctor if you are pregnant, planning to become pregnant, or breastfeeding.

- Inform your doctor about any history of allergic reactions to medications.
- Disclose any existing medical conditions, especially kidney or mental health issues.

Contact Information:

Bongyn Bioscience Pvt Ltd

Address: 11, First Floor, Science City Road, Sola, Ahmedabad

Phone: +91 8160 351 340

Email: info@bongyn.com

Website: www.bongyn.com

Disclaimer:

This information is for better understanding of EPILEVET-500. Always take this medication under the guidance of your doctor. Do not alter or discontinue the prescribed dosage without consulting your healthcare provider.

All rights reserved to Bongyn Bioscience Pvt Ltd. 2025.