



**Brand Name:** OMEGYN-DSR

**Composition:** Esomeprazole 40 mg + Domperidone 30 mg SR Capsules

#### General Information:

OMEGYN-DSR is a premium quality product from **Bongyn Bioscience Pvt Ltd**, formulated to provide effective relief from conditions related to gastric acidity and nausea. Each capsule contains **Esomeprazole 40 mg**, a proton pump inhibitor that reduces stomach acid production, and **Domperidone 30 mg SR**, a prokinetic agent that helps prevent nausea and vomiting by improving gut motility. Manufactured under stringent quality standards, OMEGYN-DSR ensures optimal efficacy and safety.

#### Drug Class:

- Esomeprazole: Proton Pump Inhibitor (PPI)
- Domperidone: Dopamine Antagonist/Prokinetic Agent

#### Indications and Uses:

- Management of gastroesophageal reflux disease (GERD) with nausea.
- Relief from symptoms of acid reflux, heartburn, and indigestion.

- Prevention and treatment of nausea and vomiting associated with delayed gastric emptying.
- 

### **Common and Less Common Side Effects:**

#### **Common Side Effects:**

- Headache
- Abdominal pain
- Dry mouth
- Diarrhea or constipation

#### **Less Common Side Effects:**

- Dizziness
- Flatulence
- Skin rash or itching
- Fatigue

If side effects persist or worsen, consult your doctor promptly.

---

### **Doses and Administration:**

- **Recommended Dose:** One capsule daily, preferably before meals or as directed by your doctor.
  - Swallow the capsule whole with water. Do not crush or chew the capsule.
  - Follow your doctor's instructions for the duration of the treatment.
- 

### **Warnings and Precautions:**

- Before starting OMEGYN-DSR, inform your doctor if you have liver or kidney issues.
  - Avoid driving or operating machinery if you experience dizziness.
  - Do not use OMEGYN-DSR if you are allergic to Esomeprazole, Domperidone, or any other components of the formulation.
  - Use cautiously in elderly patients or those with prolonged QT intervals.
- 

### **Drug Interactions:**

- Inform your doctor if you are taking medications like ketoconazole, erythromycin, or anticoagulants, as they may interact with OMEGYN-DSR.
- Avoid combining with other PPIs or prokinetic agents unless prescribed by your doctor.

---

**Contraindications:**

- Hypersensitivity to Esomeprazole, Domperidone, or any excipients.
- Presence of gastrointestinal bleeding, obstruction, or perforation.
- Severe liver impairment.

---

**Dos and Don'ts:****Dos:**

- Take the medication as prescribed by your doctor.
- Maintain a healthy diet and avoid foods that trigger acidity.
- Inform your doctor about all ongoing medications and supplements.

**Don'ts:**

- Do not exceed the recommended dose.
- Avoid alcohol consumption while on OMEGYN-DSR.
- Do not discontinue the medication abruptly without consulting your doctor.

---

**Before Taking OMEGYN-DSR:**

- Discuss your medical history with your doctor, especially if you have a history of gastric ulcers or heart conditions.
- Inform your doctor if you are pregnant, planning to conceive, or breastfeeding.
- Disclose any known allergies or adverse reactions to similar medications.

---

**Contact Information:****Bongyn Bioscience Pvt Ltd****Address:** 11, First Floor, Science City Road, Sola, Ahmedabad**Phone:** +91 8160 351 340**Email:** info@bongyn.com**Website:** [www.bongyn.com](http://www.bongyn.com)

---

**Disclaimer:**

This is general information about OMEGYN-DSR. Always use this product under the guidance of your doctor. Do not change the prescribed dose or discontinue use without consulting your doctor.

**All rights reserved to Bongyn Bioscience Pvt Ltd, 2025.**