



Composition: Esomeprazole 40 mg Tablets

OMEGYN-40, a premium product from **Bongyn Bioscience Pvt Ltd**, is designed to provide effective relief from acid-related disorders. Esomeprazole, the active ingredient, is a proton pump inhibitor (PPI) that reduces the production of stomach acid, ensuring optimal management of gastric issues. Manufactured under stringent quality standards, OMEGYN-40 guarantees safety and efficacy for patients.

Proton Pump Inhibitor (PPI)

- Treatment of gastroesophageal reflux disease (GERD)
- Healing of erosive esophagitis
- Management of Zollinger-Ellison Syndrome
- Prevention of gastric ulcers caused by NSAIDs

- Relief from heartburn and acid reflux
-

Common and Less Common Side Effects:

Common Side Effects:

- Nausea
- Headache
- Diarrhea
- Abdominal pain
- Flatulence

Less Common Side Effects:

- Dizziness
- Dry mouth
- Rash
- Constipation
- Vitamin B12 deficiency (with long-term use)

If any side effects persist or worsen, contact your doctor immediately.

Doses and Administration:

- **Recommended Dosage:** One tablet (40 mg) daily, preferably at least one hour before a meal.
 - Swallow the tablet whole with water. Do not crush or chew the tablet.
 - Follow your doctor's instructions for the duration of treatment.
-

Warnings and Precautions:

- Use with caution in patients with severe liver impairment.
 - Long-term use may increase the risk of bone fractures and low magnesium levels.
 - Monitor for signs of gastrointestinal infections during treatment.
 - Avoid abrupt discontinuation without consulting your doctor.
 - Not recommended during pregnancy or breastfeeding without medical advice.
-

Drug Interactions:

- May interact with drugs like clopidogrel, warfarin, and methotrexate.

- Reduced efficacy of esomeprazole with certain antifungal and antiviral medications.
 - Inform your doctor about all medications and supplements you are taking.
-

Contraindications:

- Known hypersensitivity to esomeprazole or other PPIs.
 - Severe allergic reactions, including anaphylaxis, to similar medications.
 - Avoid use in patients with a history of gastrointestinal bleeding unless advised by a doctor.
-

Dos and Don'ts:**Dos:**

- Take OMEGYN-40 exactly as prescribed by your doctor.
- Inform your doctor about any medical conditions or allergies.
- Maintain a healthy diet and avoid spicy or acidic foods.

Don'ts:

- Do not take OMEGYN-40 without a doctor's prescription.
 - Avoid alcohol consumption while on this medication.
 - Do not adjust the dosage or discontinue use without consulting your doctor.
-

Before Taking OMEGYN-40:

- Inform your doctor if you have liver disease, low magnesium levels, or osteoporosis.
 - Discuss any ongoing medications or supplements to avoid interactions.
 - Notify your doctor if you are pregnant, planning to conceive, or breastfeeding.
-

Contact Information:

Bongyn Bioscience Pvt Ltd

Address: 11, First Floor, Science City Road, Sola, Ahmedabad

Phone: +91 8160 351 340

Email: info@bongyn.com

Website: www.bongyn.com

Disclaimer:

This is general information about OMEGYN-40. Always use this medication under the guidance of your doctor. Do not alter the prescribed dose or duration without medical advice.

