



Rx
Gabapentin & Methylcobalamin Tablets
(100 mg + 500 mcg)

GABABON-M Tablets

गॅबॅपेंटिन-एम

10 x 10 Tablets



Each film coated tablet contains:
Gabapentin IP 100 mg
Methylcobalamin IP 500 mcg
Colours : Red Oxide of Iron &
Titanium Dioxide IP

Keep all medicines out of reach
of children.

Appropriate overages of vitamin added
to compensate the loss on storage.

Dosage :
As directed by the Physician.

Storage :
Store protected from light & moisture,
at a temperature not exceeding 25°C.

**SCHEDULE H PRESCRIPTION
DRUG - CAUTION**
Not to be sold by retail without
the prescription of a Registered
Medical Practitioner.

Brand Name: GABABON-M

Composition: Gabapentin IP 100 mg + Methylcobalamin IP 500 mcg Tablets

General Information:

GABABON-M, a quality product from **Bongyn Bioscience Pvt Ltd**, is formulated to provide effective relief in neuropathic pain and support nerve health. Gabapentin is an anticonvulsant that helps reduce nerve pain, while Methylcobalamin, a form of Vitamin B12, aids in nerve regeneration and health. Manufactured under stringent quality standards, GABABON-M ensures high efficacy and patient safety.

Drug Class:

- Gabapentin: Anticonvulsant
- Methylcobalamin: Vitamin B12 Analog

Indications and Uses:

- Management of neuropathic pain
- Peripheral neuropathy
- Nerve damage due to diabetes or other conditions
- Adjunct therapy for seizures
- Support in vitamin B12 deficiency-related nerve issues

Common and Less Common Side Effects:

Common Side Effects:

- Drowsiness
- Dizziness
- Fatigue
- Nausea
- Headache

Less Common Side Effects:

- Swelling in the hands or feet
- Mood changes
- Blurred vision
- Digestive issues like diarrhea or constipation
- Allergic reactions (rash, itching)

If any side effects persist or worsen, consult your doctor promptly.

Dosage and Administration:

- **Recommended Dose:** As prescribed by your doctor. Typically, one tablet is taken once or twice a day, depending on the condition.
- Swallow the tablet whole with water, with or without food.
- Do not crush or chew the tablet.
- Follow your doctor's instructions regarding the duration of the treatment.

Warnings and Precautions:

- Use cautiously in patients with kidney or liver impairment.
- Avoid alcohol consumption during treatment as it may increase drowsiness.
- Do not drive or operate heavy machinery if you experience dizziness or drowsiness.
- Discuss with your doctor if you are pregnant, planning to conceive, or breastfeeding.

Drug Interactions:

- Gabapentin may interact with antacids, reducing its absorption. Maintain a gap of at least 2 hours.

- Combining with sedatives or alcohol may enhance drowsiness.
 - Inform your doctor about all medications, vitamins, or supplements you are taking to avoid potential interactions.
-

Contraindications:

- Known hypersensitivity to Gabapentin, Methylcobalamin, or any excipients in the formulation.
 - Patients with severe liver or kidney disease should use this medication only under close medical supervision.
-

Dos and Don'ts:**Dos:**

- Take the medication exactly as prescribed by your doctor.
- Inform your healthcare provider about any ongoing medications or medical conditions.
- Maintain a healthy lifestyle and diet to support nerve health.

Don'ts:

- Do not stop taking the medication suddenly without consulting your doctor.
 - Avoid alcohol and other sedatives during the course of treatment.
 - Do not self-medicate or exceed the prescribed dose.
-

Before Taking GABABON-M:

- Discuss your medical history, especially if you have kidney or liver issues, or a history of seizures.
 - Inform your doctor if you are pregnant, planning pregnancy, or breastfeeding.
 - Disclose any ongoing medications, including over-the-counter drugs and supplements.
-

Contact Information:

Bongyn Bioscience Pvt Ltd

Address: 11, First Floor, Science City Road, Sola, Ahmedabad

Phone: +91 8160 351 340

Email: info@bongyn.com

Website: www.bongyn.com

Disclaimer:

This is general information about GABABON-M. Always use this medication under the guidance of your doctor. Do not change or discontinue the prescribed dose without consulting your healthcare provider.

All rights reserved to Bongyn Bioscience Pvt Ltd. 2025